

Малышев А В (Malyshev AV) СТЕКЛОН МАРКОВА И ТАТРАНЖА (СЪБОР
ЛИБРАРИИ) Zbl. Revie
van der Houwen PJ, Construction of integration formulas for initial value
problems North Holland

Larkin FM, Some techniques for rational interpolation
Barnett Sand Šiljak. Routh's Algorithm a centennial survey, SIAM
Rev. 19 (1977) 472-489

Cuyt AM The ϵ -algorithm and multivariate Padé-approximants
Num Math 40 (1982) 39-46

Sz. Nagy B and Koranyi A, Relations d'un problème de Nevanlinna et
Pick avec la théorie des opérations de l'espace hilbertien, Acta Math.
Acad Sci. Hung. 7 (1957) 295-302

Nevanlinna R., Remarques sur le lemme de Schwartz, Comptes Rendus
de l'Acad. Sci (Paris) 188 (1929) 1027-9

Nevanlinna R., Sur un problème d'interpolation, Comptes Rendus de
l'Acad Sci (Paris) 188 (1929) 1224-1226

Weyl H., Über das Pick-Nevanlinna'sche Interpolationsproblem und
sein infinitesimales Analogon, Ann Math, 36 (1935) 230-254

Nevanlinna R., Über beschränkte Funktionen, die in gegebenen Punkten
vorgeschriebene Werte annehmen, Ann Acad Sci Fennicae, A 13
(1919) No 1

Hamel G., Eine charakteristische Eigenschaft beschränkter
analytischer Funktionen, Math. Ann. 78 (1918) 257-269

Pick G., Über eine Eigenschaft der konform Abbildung kreisförmiger
Bereiche, Math. Ann. 77 (1916) 1-6

Pick G., "Über beschränkte Funktionen mit vorgegebenen Wertzuordnungen,
Ann Acad Sci Fennicae. A15 (1920) No. 3

Pick G., "Über die Beschränkungen analytischer Funktionen, welche
durch vorgegebene Funktionswerte bewirkt werden, Math. Ann. 77 (1916)
7-23

Nevanlinna R., Kriterien für die Randwerte beschränkter Funktionen,
Math Zeit, 13 (1922) 1-9

Gragg W. B., Truncation error bounds for q -fractions, Num Math, 11 (1968) 370-9
— Truncation error bounds for π -fractions, Bull Amer Math Soc, 76 (1970)

Markoff A., Deux démonstrations de la convergence de ~~1091-4~~
certaines fractions continues, Acta Math, 19 (1895) 93-104

Warner DD, Hermite interpolation with rational functions, Ph. D. Thesis (1974)
Univ. of California, San Diego (La Jolla Cal. 92037)

Nörlund N. E., Fractions continues et différences réciproques, Acta Math,
34 (1910) 1-108

Suetin S. P., On the convergence of rational approximations to polynomial
expansions in domains of meromorphy of a given function, Mat.
Sbornik, 105 (1978) (Eng. trans: 367-381)

Newbery ACR, Some extensions of Legendre quadrature, Math Comp,
23 (1969) 173-6

Vavilov V. V., On the convergence of the Padé approximants of meromorphic
functions, Mat. Sbornik, 101 (1976) 44-56

Mühlbach G., The general recurrence relation for divided differences
and the general Newton interpolation algorithm with applications to
trigonometric interpolation, Numer Math, 32 (1979) 393-408

- Mühlbach G., The general Neville - Aitken algorithm and some applications, Num. Math., 31 (1978) 97-110
- Wuytack L., A new technique for rational extrapolation to the limit, Num. Math., 17 (1971) 215-221
- , An algorithm for rational interpolation similar to the opt - algorithm, Num. Math., 20 (1973) 418-424
- Holdeman J. T., A method for the approximation of functions defined by formal series expansions in orthogonal polynomials, Math. Comp., 23 (1969) 275-287
- Graves Morris PR and Jenkins CD, Vector-valued rational interpolation, II, Math. Inst. Univ. of Kent (1986) (Constructive approximation (1986):?)
- Graves Morris PR, Vector valued rational interpolants I, Num. Math., 43 (1983) 331-348 (proof of vect ϵ -alg result with complex coeffs?)
- Graves Morris PR and Jenkins CD, Generalised inverse vector valued rational interpolation, ~~the~~ Padé approximation and its applications (Eds. H. Werner and H. J. Bürger, Springer LNIM 1071 (1984) #4-156
- Stor J., Über zwei Algorithmen zur Interpolation mit rationalen Funktionen, Num. Math., 3 (1961) 285-304
- Newbery ACR, A generalized interpolation algorithm, Math. of Comp., 25 (1971) 549-552
- Netto E., Zur Cauchy'schen Interpolationsaufgabe, Math. Ann., 43 (1893) 453-456
- Graves Morris PR and Hopkins TR, Reliable rational interpolation, Computing Lab. Univ. of Kent Report (1978)
- Graves Morris PR, A generalised q-d algorithm, Math. Inst. Univ. of Kent Report (1978)

- Jacobi C.G.J., Über die Darstellung einer Reihe gegebener Werthe durch einer gebrochene rationale Funktion, Jour. f. d. reine u. ang. Math., 20 (1846) 127-156
- Claessens G., A useful identity for the rational Hermite interpolation table, Num Math., 29 (1978) 227-231
- Meinguet J., On the solubility of the Cauchy interpolation problem, in Approximation theory (Ed. A. Talbot) Academic Press, London, New York (1970) 137-163
- Dahlquist G., Positive functions and some applications to stability questions for numerical methods, in Recent advances in numerical analysis (Eds. de Boor C and Golub G.H.) Academic Press, London New York (1978) 1-29
- Lyche T., A Newton form for trigonometric Hermite interpolation, Nord. Tids. Inf. Beh. (BIT) 19 (1979) 229-235
- Predonzan A., Su una formula d'interpolazione per le funzioni razionali, Rend. Sem. Mat. Univ. Padova, 22 (1953) 417-425
- Havie T., Generalized Neville type extrapolation schemes, Nord. Tids. Inf. Beh. (BIT) 19 (1979) 204-213
- Brezinski C., A general extrapolation algorithm, Num. Math., 35 (1980) 175-187
- Wetterling W., Ein Interpolationsverfahren zur Lösung der linearen Gleichungssysteme die bei der rationalen Tschetyscheff-Approximation auftreten, Arch. Rat. Mech. Anal., 12 (1963) 403-408

Curtiss J.H., Faber polynomials and the Faber Series, Amer Math Monthly, 78 (1971) 577-596

Duffin R.J., The reciprocal of a Fourier Series, Proc Amer Math Soc, 13 (1962) 965-970

Edrei A. and Szegő G., A note on the reciprocal of a Fourier series, Proc. Amer Math Soc, 4 (1953) 323-329

van der Corput J.G. and Duparc H.J.A., Determinants and quadratic forms (Verh. Kon Akad v. Wetensch. Amsterdam ??) 995-1002; 1111-1114.

Wilson J.A., Three term contiguous relations and some new orthogonal polynomials, (Rocky Mountain Jour Boulder conf ???) 227-232 (Zbl. review) year?

Fréchet M and Shohat J., A proof of the generalised second limit theorem in the theory of probability, Trans. Amer Math Soc, 33 (1931) 533-543

Shohat J., The theory of closure of Tchebycheff polynomials for an infinite interval, Bull Amer Math Soc, 30 (1924) 505-510

Radon J., Restausdrücke bei Interpolations- und Quadraturformeln durch bestimmte Integrale, Monatsh. f. Math. u. Physik, 42 (1935) 389-396

Appel P., Sur une classe de polynomes, Ann Ec. Norm, 9, (1880) 119-144

Chokhake J., Sur les quadratures mécanique et sur les zéros des polynomes de Tchebycheff dans un intervalle infini, Comptes Rendus de l'Acad Sci (Paris) 185 (1927) 597-8

Shohat J., On mechanical quadratures, in particular, with positive coefficients, Trans Amer Math Soc., 42 (1937) 461-496

von Koch H., On a class of equations concerned with Euler-Maclaurin's sum formula, Ark. f. Mat. Astronomie o. Fysik, 15 (1921) No 26

Brezinski C., Generalisations de la transformation de Shanks, de la table de Padé et de l' ϵ -algorithme. Calcolo, 12 (1975) 317-360

Shenton L.R., Generalised Algebraic continued fractions related to definite integrals, Proc. Edin. Math. Soc., 9 (1953-6) 170-182

Nudelman A.A., On a remark of P.L. Tschetyscheff in Research on modern problems in the constructive theory of functions (Ed. Smirnov V.I.) State publishing house of Phys. Mat. Literature Moscow (1961) 292-294

Brezinski C., The Mühlbach - Neville - Aitken algorithm and some extensions, Univ. des Sci et Tech. de Lille, Reprt (1980)

Pólya G., Application of a theorem connected with the problem of moments, Messenger of Maths., 55 (1926) 189-192

Frobenius G., Ueber Relationen zwischen den Näherungsbrüchen von Potenzreihen, Jour f. Math., XC (1881) 1-17

Gronwall T.H., Summation of series and conformal mapping, Ann of Math, 33 (1932) 101-117

Riesz M, Sur le problème des moments. I: Arkiv f. mat., astr. o fysik, 16 (12) (1921); II: 16 (19) (1922); III: 17 (16) (1923)

Gekeler E, On the solution of systems of equations by the epsilon algorithm of Wynn, Math. of Comp., (1972) 26 427-436

Tyrrrell J.A., Reversion of a formal power series, Mathematika 9 (1962) 38-54

Hestenes M.R., A ternary algebra with applications to matrices of linear transformations, Arch. Rat. Mech. Anal., 11 (1962) 138-194

Vermes R., Hankel determinants formed from successive derivatives, Duke Math. Jour. 37 (1970) 255-259

Ullman J.L., Hankel determinants whose elements are sections of a Taylor series, Duke Math Jour, 18 (1951) 751-756; 19 (1952) 155-164

Beckenbach E.F., Seidel W and Szász O., Recurrent determinants of Legendre and of ultraspherical polynomials, Duke Math. Jour, 18 (1951) 1-10

Schoenberg I.J., On the maxima of certain Hankel determinants and the zeros of the classical orthogonal polynomials, Proc. Kon. Ned. Akad. Wet., Ser A., 62 (1959) 282-290

Shekizis T.J., Sur une généralisation de la série de Lagrange, Ann Sci Éc norm (Paris) sér 3, 2 (1885) 93-98

Ostrowski A., Über ein Analogon der Wronskischen Determinante bei Funktionen mehrerer Veränderlichen, Math Zeit, 4 (1919) 223-230

Pommerenke Ch., Padé approximants and convergence in capacity,

Jour Math Anal. & App., 41 (1973) 775-780

Hayman W.K. and Korenblum B., An extension of the Riesz-Herglotz formula, Ann. Acad. Sci. Fennicae, Ser A. I Math., 2 (1976) 175-201

Mikhal'chuk R.I and Syavanko MS, A continuous analogue of continued fractions, Ukr. Mat. Jour. 34 No 5 (1982) 559-564

Batyuk Yu R and Syavanko MS, Integral continued fractions Ukr. Math. Jour ? (1984) 6-8

Tokuda N., A new application of Lagrange - Bürmann expansions
I General principle, ZAMP 34 (1983) 697-727; II Application to unsteady heat conduction problems with radiation, 34 (1983) 787-806

Cordellier F., Utilisation de l'invariance homographique dans les algorithmes de losange, Springer Lecture Notes ? (1984??) 62-94